



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2016 - December 31, 2016

Filing Confirmation Number: 0007616701

Filing Deadline: March 23, 2017

FRN: 0020945580

Filing Date: 01/10/2017 02:01 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: North American Local LLC
Brand Names: North American Local
PO Box:
Street Address: 13430 Gulf Beach Highway #79
City: Pensacola
State: FL
Zip Code: 32507

Contact Name: Jorge Bellas
Contact Phone: (850) 449-5328
Contact Fax: (850) 492-6070
Contact Email: jbellas@northamericanlocal.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice

communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

N/A

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: www.northamericanlocal.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: North American Local continues to market in targeted markets in its coverage area through local engagement of residents.

Methodology for Functionality Levels

Basic - Feature Phone

Better - Qwerty Keyboard

Best - Lower end or older smartphone

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 17

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	9	60%	2	13%	4	27%	15
CDMA	3	100%					3

You have reported the following handset model summary information.

Total number of handsets offered: 17

Air Interface	Fully Hearing Aid Compatible Number Percent		Acoustic Coupling Compatible Only Number Percent		Non-Compliant Handsets Number Percent		Total by Air Interface
WCDMA	1	100%					1

Handset 1: Apple iPhone 3G (A1241)

Handset Maker

Apple

Handset Model Name

iPhone 3G (A1241)

FCC ID

BCGA1241

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Best

Remarks

Handset 2: HTC X325C (EVO 4G LTE)

Handset Maker

HTC

Handset Model Name

X325C (EVO 4G LTE)

FCC ID

A3LSPHI325

Air Interfaces/Frequency Bands

850 MHz CDMA

900 MHz GSM

1800 MHz GSM

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Best

Remarks**Handset 3: LG C395****Handset Maker**

LG

Handset Model Name

C395

FCC ID

ZNFC395

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Better

Remarks

Handset 4: Motorola RAZR

Handset Maker

Motorola

Handset Model Name

RAZR

FCC ID

IHDT56FT1

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 5: Pantech P2000(Breeze II)

Handset Maker

Pantech

Handset Model Name

P2000(Breeze II)

FCC ID

JYCP2000

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Basic

Remarks**Handset 6: Samsung A157****Handset Maker**

Samsung

Handset Model Name**FCC ID**

A157

A3LSGHA157

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Basic

Remarks

Handset 7: Samsung a177

Handset Maker

Samsung

Handset Model Name

a177

FCC ID

A3LSGHA177

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Better

Remarks

Handset 8: Samsung A197

Handset Maker

Samsung

Handset Model Name

A197

FCC ID

A3LSGHA197

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Basic

Remarks

Handset 9: Samsung a237

Handset Maker

Samsung

Handset Model Name

a237

FCC ID

A3LSGHA237

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 10: Samsung A667

Handset Maker

Samsung

Handset Model Name

A667

FCC ID

A3LSGHA667

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 11: Samsung A797

Handset Maker

Samsung

Handset Model Name

A797

FCC ID

A3LSGHA797

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Better

Remarks

Handset 12: Samsung A847

Handset Maker

Samsung

Handset Model Name

A847

FCC ID

A3LSGHA847

Air Interfaces/Frequency Bands

850 MHz GSM

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 13: Samsung A877

Handset Maker

Samsung

Handset Model Name

A877

FCC ID

A3LSGHA877

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Better

Remarks

Handset 14: Samsung A927

Handset Maker

Samsung

Handset Model Name

A927

FCC ID

A3LSGHA927

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 15: Sharp Aquos Crystal

Handset Maker

Sharp

Handset Model Name

Aquos Crystal

FCC ID

APYHRO00204

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Best

Remarks

Handset 16: ZTE Z221

Handset Maker

ZTE

Handset Model Name

Z221

FCC ID

Q78-Z221

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Basic

Remarks

Handset 17: ZTE Z222

Handset Maker

ZTE

Handset Model Name

Z222

FCC ID

Q78-Z222

Air Interfaces/Frequency Bands

800 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Basic

Remarks

Certification

This Report has been certified by:

Jorge Bellas Manager
01/10/2017 02:01 PM